

Wolfram Zillig Publications:

- 1: Lepage E, Marguet E, Geslin C, Matte-Tailliez O, Zillig W, Forterre P, Tailliez P. Molecular diversity of new Thermococcales isolates from a single area of hydrothermal deep-sea vents as revealed by randomly amplified polymorphic DNA fingerprinting and 16S rRNA gene sequence analysis. *Appl Environ Microbiol.* 2004 Mar;70(3):1277-86.
- 2: Stedman KM, She Q, Phan H, Arnold HP, Holz I, Garrett RA, Zillig W. Relationships between fuselloviruses infecting the extremely thermophilic archaeon *Sulfolobus*: SSV1 and SSV2. *Res Microbiol.* 2003 May;154(4):295-302.
- 3: Peng X, Blum H, She Q, Mallok S, Brugger K, Garrett RA, Zillig W, Prangishvili D. Sequences and replication of genomes of the archaeal rudiviruses SIRV1 and SIRV2: relationships to the archaeal lipothrixvirus SIFV and some eukaryal viruses. *Virology.* 2001 Dec 20;291(2):226-34.
- 4: Blum H, Zillig W, Mallok S, Domdey H, Prangishvili D. The genome of the archaeal virus SIRV1 has features in common with genomes of eukaryal viruses. *Virology.* 2001 Mar 1;281(1):6-9.
- 5: She Q, Peng X, Zillig W, Garrett RA. Gene capture in archaeal chromosomes. *Nature.* 2001 Jan 25;409(6819):478.
- 6: Prangishvili D, Stedman K, Zillig W. Viruses of the extremely thermophilic archaeon *Sulfolobus*. *Trends Microbiol.* 2001 Jan;9(1):39-43.
- 7: Stedman KM, She Q, Phan H, Holz I, Singh H, Prangishvili D, Garrett R, Zillig W. pING family of conjugative plasmids from the extremely thermophilic archaeon *Sulfolobus islandicus*: insights into recombination and conjugation in Crenarchaeota. *J Bacteriol.* 2000 Dec;182(24):7014-20.
- 8: Peng X, Holz I, Zillig W, Garrett RA, She Q. Evolution of the family of pRN plasmids and their integrase-mediated insertion into the chromosome of the crenarchaeon *Sulfolobus solfataricus*. *J Mol Biol.* 2000 Nov 3;303(4):449-54.
- 9: Arnold HP, Ziese U, Zillig W. SNDV, a novel virus of the extremely thermophilic and acidophilic archaeon *Sulfolobus*. *Virology.* 2000 Jul 5;272(2):409-16.
- 10: Prangishvili D, Holz I, Stieger E, Nickell S, Kristjansson JK, Zillig W. Sulfolobicins, specific proteinaceous toxins produced by strains of the extremely thermophilic archaeal genus *Sulfolobus*. *J Bacteriol.* 2000 May;182(10):2985-8.

- 11: Arnold HP, Zillig W, Ziese U, Holz I, Crosby M, Utterback T, Weidmann JF, Kristjanson JK, Klenk HP, Nelson KE, Fraser CM. A novel lipothrixvirus, SIFV, of the extremely thermophilic crenarchaeon *Sulfolobus*. *Virology*. 2000 Feb 15;267(2):252-66.
- 12: Arnold HP, She Q, Phan H, Stedman K, Prangishvili D, Holz I, Kristjansson JK, Garrett R, Zillig W. The genetic element pSSVx of the extremely thermophilic crenarchaeon *Sulfolobus* is a hybrid between a plasmid and a virus. *Mol Microbiol*. 1999 Oct;34(2):217-26.
- 13: Prangishvili D, Arnold HP, Gotz D, Ziese U, Holz I, Kristjansson JK, Zillig W. A novel virus family, the Rudiviridae: Structure, virus-host interactions and genome variability of the *sulfolobus* viruses SIRV1 and SIRV2. *Genetics*. 1999 Aug;152(4):1387-96.
- 14: Stedman KM, Schleper C, Rumpf E, Zillig W. Genetic requirements for the function of the archaeal virus SSV1 in *Sulfolobus solfataricus*: construction and testing of viral shuttle vectors. *Genetics*. 1999 Aug;152(4):1397-405.
- 15: Klenk HP, Meier TD, Durovic P, Schwass V, Lottspeich F, Dennis PP, Zillig W. RNA polymerase of *Aquifex pyrophilus*: implications for the evolution of the bacterial rpoBC operon and extremely thermophilic bacteria. *J Mol Evol*. 1999 May;48(5):528-41.
- 16: Keeling PJ, Klenk HP, Singh RK, Schenk ME, Sensen CW, Zillig W, Doolittle WF. *Sulfolobus islandicus* plasmids pRN1 and pRN2 share distant but common evolutionary ancestry. *Extremophiles*. 1998 Nov;2(4):391-3.
- 17: She Q, Phan H, Garrett RA, Albers SV, Stedman KM, Zillig W. Genetic profile of pNOB8 from *Sulfolobus*: the first conjugative plasmid from an archaeon. *Extremophiles*. 1998 Nov;2(4):417-25.
- 18: Prangishvili D, Albers SV, Holz I, Arnold HP, Stedman K, Klein T, Singh H, Hiort J, Schweier A, Kristjansson JK, Zillig W. Conjugation in archaea: frequent occurrence of conjugative plasmids in *Sulfolobus*. *Plasmid*. 1998 Nov;40(3):190-202.
- 19: Zillig W, Arnold HP, Holz I, Prangishvili D, Schweier A, Stedman K, She Q, Phan H, Garrett R, Kristjansson JK. Genetic elements in the extremely thermophilic archaeon *Sulfolobus*. *Extremophiles*. 1998 Aug;2(3):131-40.
- 20: van de Vossenberg, Driessen AJ, Zillig W, Konings WN. Bioenergetics and cytoplasmic membrane stability of the extremely acidophilic, thermophilic archaeon *Picrophilus oshimae*. *Extremophiles*. 1998 May;2(2):67-74.

- 21: Prangishvili D, Klenk HP, Jakobs G, Schmiechen A, Hanselmann C, Holz I, Zillig W. Biochemical and phylogenetic characterization of the dUTPase from the archaeal virus SIRV. *J Biol Chem.* 1998 Mar 13;273(11):6024-9.
- 22: Grimm R, Singh H, Rachel R, Typke D, Zillig W, Baumeister W. Electron tomography of ice-embedded prokaryotic cells. *Biophys J.* 1998 Feb;74(2 Pt 1):1031-42.
- 23: Zillig W, Prangishvilli D, Schleper C, Elferink M, Holz I, Albers S, Janekovic D, Gotz D. Viruses, plasmids and other genetic elements of thermophilic and hyperthermophilic Archaea. *FEMS Microbiol Rev.* 1996 May;18(2-3):225-36.
- 24: Elferink MG, Schleper C, Zillig W. Transformation of the extremely thermoacidophilic archaeon *Sulfolobus solfataricus* via a self-spreading vector. *FEMS Microbiol Lett.* 1996 Mar 15;137(1):31-5.
- 25: Keeling PJ, Klenk HP, Singh RK, Feeley O, Schleper C, Zillig W, Doolittle WF, Sensen CW. Complete nucleotide sequence of the *Sulfolobus islandicus* multicopy plasmid pRN1. *Plasmid.* 1996 Mar;35(2):141-4.
- 26: Schleper C, Puehler G, Holz I, Gambacorta A, Janekovic D, Santarius U, Klenk HP, Zillig W. *Picrophilus* gen. nov., fam. nov.: a novel aerobic, heterotrophic, thermoacidophilic genus and family comprising archaea capable of growth around pH 0. *J Bacteriol.* 1995 Dec;177(24):7050-9.
- 27: Schleper C, Holz I, Janekovic D, Murphy J, Zillig W. A multicopy plasmid of the extremely thermophilic archaeon *Sulfolobus* effects its transfer to recipients by mating. *J Bacteriol.* 1995 Aug;177(15):4417-26.
- 28: Schleper C, Puhler G, Kuhlrogen B, Zillig W. Life at extremely low pH. *Nature.* 1995 Jun 29;375(6534):741-2.
- 29: Langer D, Hain J, Thuriaux P, Zillig W. Transcription in archaea: similarity to that in eucarya. *Proc Natl Acad Sci U S A.* 1995 Jun 20;92(13):5768-72.
- 30: Stolt P, Grampp B, Zillig W. Genes for DNA cytosine methyltransferases and structural proteins, expressed during lytic growth by the phage phi H of the archaeabacterium *Halobacterium salinarium*. *Biol Chem Hoppe Seyler.* 1994 Nov;375(11):747-57.
- 31: Stolt P, Zillig W. Transcription of the halophage phi H repressor gene is abolished by transcription from an inversely oriented lytic promoter. *FEBS Lett.* 1994 May 16;344(2-3):125-8.

- 32: Klenk HP, Zillig W. DNA-dependent RNA polymerase subunit B as a tool for phylogenetic reconstructions: branching topology of the archaeal domain. *J Mol Evol.* 1994 Apr;38(4):420-32.
- 33: Schleper C, Roder R, Singer T, Zillig W. An insertion element of the extremely thermophilic archaeon *Sulfolobus solfataricus* transposes into the endogenous beta-galactosidase gene. *Mol Gen Genet.* 1994 Apr;243(1):91-6.
- 34: Langer D, Lottspeich F, Zillig W. A subunit of an archaeal DNA-dependent RNA polymerase contains the S1 motif. *Nucleic Acids Res.* 1994 Feb 25;22(4):694.
- 35: Stolt P, Zillig W. Structure specific ds/ss-RNase activity in the extreme halophile *Halobacterium salinarium*. *Nucleic Acids Res.* 1993 Dec 11;21(24):5595-9.
- 36: Zillig W. Confusion in the assignments of *Sulfolobus* sequences to *Sulfolobus* species. *Nucleic Acids Res.* 1993 Nov 11;21(22):5273.
- 37: Palm P, Schleper C, Arnold-Ammer I, Holz I, Meier T, Lottspeich F, Zillig W. The DNA-dependent RNA-polymerase of *Thermotoga maritima*; characterisation of the enzyme and the DNA-sequence of the genes for the large subunits. *Nucleic Acids Res.* 1993 Oct 25;21(21):4904-8.
- 38: Stolt P, Zillig W. In vivo and in vitro analysis of transcription of the L region from the *Halobacterium salinarium* phage phi H: definition of a repressor-enhancing gene. *Virology.* 1993 Aug;195(2):649-58.
- 39: Langer D, Zillig W. Putative tfIIIs gene of *Sulfolobus acidocaldarius* encoding an archaeal transcription elongation factor is situated directly downstream of the gene for a small subunit of DNA-dependent RNA polymerase. *Nucleic Acids Res.* 1993 May 11;21(9):2251.
- 40: Muskhelishvili G, Palm P, Zillig W. SSV1-encoded site-specific recombination system in *Sulfolobus shibatae*. *Mol Gen Genet.* 1993 Mar;237(3):334-42.
- 41: Stolt P, Zillig W. Antisense RNA mediates transcriptional processing in an archaeabacterium, indicating a novel kind of RNase activity. *Mol Microbiol.* 1993 Mar;7(6):875-82.
- 42: Klenk HP, Schwass V, Zillig W. Nucleotide sequence of the genes encoding proline tRNA(UGG) and threonine tRNA(GGU) and consensus promoter model of *Thermococcus celer*. *Biochim Biophys Acta.* 1993 Feb 20;1172(1-2):236-8.

- 43: Stolt P, Zillig W. In vivo studies on the effects of immunity genes on early lytic transcription in the *Halobacterium salinarium* phage phi H. *Mol Gen Genet.* 1992 Nov;235(2-3):197-204.
- 44: Hain J, Reiter WD, Hudepohl U, Zillig W. Elements of an archaeal promoter defined by mutational analysis. *Nucleic Acids Res.* 1992 Oct 25;20(20):5423-8.
- 45: Klenk HP, Renner O, Schwass V, Zillig W. Nucleotide sequence of the genes encoding the subunits H, B, A' and A'' of the DNA-dependent RNA polymerase and the initiator tRNA from *Thermoplasma acidophilum*. *Nucleic Acids Res.* 1992 Oct 11;20(19):5226.
- 46: Klenk HP, Schwass V, Lottspeich F, Zillig W. Nucleotide sequence of the genes encoding the three largest subunits of the DNA-dependent RNA polymerase from the archaeum *Thermococcus celer*. *Nucleic Acids Res.* 1992 Sep 11;20(17):4659.
- 47: Groppe F, Grampp B, Stolt P, Palm P, Zillig W. The immunity-conferring plasmid p phi HL from the *Halobacterium salinarium* phage phi H: nucleotide sequence and transcription. *Virology.* 1992 Sep;190(1):45-54.
- 48: Schleper C, Kubo K, Zillig W. The particle SSV1 from the extremely thermophilic archaeon *Sulfolobus* is a virus: demonstration of infectivity and of transfection with viral DNA. *Proc Natl Acad Sci U S A.* 1992 Aug 15;89(16):7645-9.
- 49: Lanzendorfer M, Palm P, Grampp B, Peattie DA, Zillig W. Nucleotide sequence of the gene encoding the largest subunit of the DNA-dependent RNA polymerase III of *Giardia lamblia*. *Nucleic Acids Res.* 1992 Mar 11;20(5):1145.
- 50: Zillig W, Palm P, Langer D, Klenk HP, Lanzendorfer M, Hudepohl U, Hain J. RNA polymerases and transcription in archaebacteria. *Biochem Soc Symp.* 1992;58:79-88. .
- 51: Klenk HP, Palm P, Lottspeich F, Zillig W. Component H of the DNA-dependent RNA polymerases of Archaea is homologous to a subunit shared by the three eucaryal nuclear RNA polymerases. *Proc Natl Acad Sci U S A.* 1992 Jan 1;89(1):407-10.
- 52: Zillig W. Comparative biochemistry of Archaea and Bacteria. *Curr Opin Genet Dev.* 1991 Dec;1(4):544-51.
- 53: Klenk HP, Schwass V, Zillig W. Nucleotide sequence of the genes encoding the L30, S12 and S7 equivalent ribosomal proteins from the archaeum *Thermococcus celer*. *Nucleic Acids Res.* 1991 Nov 11;19(21):6047.

- 54: Palm P, Schleper C, Grampp B, Yeats S, McWilliam P, Reiter WD, Zillig W. Complete nucleotide sequence of the virus SSV1 of the archaeabacterium *Sulfolobus shibatae*. *Virology*. 1991 Nov;185(1):242-50.
- 55: Klenk HP, Palm P, Zillig W. A monophyletic holophyletic archaeal domain versus the 'eocyte tree'. *Trends Biochem Sci*. 1991 Aug;16(8):288-90.
- 56: Hudepohl U, Groppe F, Horne M, Zillig W. Heterologous in vitro transcription from two archaeabacterial promoters. *FEBS Lett*. 1991 Jul 22;285(2):257-9.
- 57: Reiter WD, Hudepohl U, Zillig W. Mutational analysis of an archaeabacterial promoter: essential role of a TATA box for transcription efficiency and start-site selection in vitro. *Proc Natl Acad Sci U S A*. 1990 Dec;87(24):9509-13.
- 58: Hudepohl U, Reiter WD, Zillig W. In vitro transcription of two rRNA genes of the archaeabacterium *Sulfolobus* sp. B12 indicates a factor requirement for specific initiation. *Proc Natl Acad Sci U S A*. 1990 Aug;87(15):5851-5.
- 59: Zillig W, Holz I, Janekovic D, Klenk HP, Imsel E, Trent J, Wunderl S, Forjaz VH, Coutinho R, Ferreira T. *Hyperthermus butylicus*, a hyperthermophilic sulfur-reducing archaeabacterium that ferments peptides. *J Bacteriol*. 1990 Jul;172(7):3959-65.
- 60: Neumann H, Zillig W. Structural variability in the genome of the *Thermoproteus tenax* virus TTV1. *Mol Gen Genet*. 1990 Jul;222(2-3):435-7.
- 61: Neumann H, Zillig W. Nucleotide sequence of the viral protein TPX of the TTV1 variant VT3. *Nucleic Acids Res*. 1990 Apr 25;18(8):2171.
- 62: Neumann H, Zillig W. The TTV1-encoded viral protein TPX: primary structure of the gene and the protein. *Nucleic Acids Res*. 1990 Jan 11;18(1):195.
- 63: Grogan D, Palm P, Zillig W. Isolate B12, which harbours a virus-like element, represents a new species of the archaeabacterial genus *Sulfolobus*, *Sulfolobus shibatae*, sp. nov. *Arch Microbiol*. 1990;154(6):594-9.
- 64: Neumann H, Zillig W. Coat protein TP4 of the virus TTV1: primary structure of the gene and the protein. *Nucleic Acids Res*. 1989 Nov 25;17(22):9475.
- 65: De Wachter R, Willekens P, Zillig W. Nucleotide sequence of the 5S ribosomal RNA of the archaeabacterium *Pyrococcus woesei*. *Nucleic Acids Res*. 1989 Jul 25;17(14):5848.

- 66: Puhler G, Lottspeich F, Zillig W. Organization and nucleotide sequence of the genes encoding the large subunits A, B and C of the DNA-dependent RNA polymerase of the archaebacterium *Sulfolobus acidocaldarius*. *Nucleic Acids Res.* 1989 Jun 26;17(12):4517-34.
- 67: Puhler G, Leffers H, Gropp F, Palm P, Klenk HP, Lottspeich F, Garrett RA, Zillig W. Archaebacterial DNA-dependent RNA polymerases testify to the evolution of the eukaryotic nuclear genome. *Proc Natl Acad Sci U S A.* 1989 Jun;86(12):4569-73.
- 68: Neumann H, Schwass V, Eckerskorn C, Zillig W. Identification and characterization of the genes encoding three structural proteins of the *Thermoproteus tenax* virus TTV1. *Mol Gen Genet.* 1989 May;217(1):105-10.
- 69: Leffers H, Gropp F, Lottspeich F, Zillig W, Garrett RA. Sequence, organization, transcription and evolution of RNA polymerase subunit genes from the archaebacterial extreme halophiles *Halobacterium halobium* and *Halococcus morrhuae*. *J Mol Biol.* 1989 Mar 5;206(1):1-17.
- 70: Gropp F, Palm P, Zillig W. Expression and regulation of *Halobacterium halobium* phage phi H genes. *Can J Microbiol.* 1989 Jan;35(1):182-8.
- 71: Zillig W, Klenk HP, Palm P, Puhler G, Gropp F, Garrett RA, Leffers H. The phylogenetic relations of DNA-dependent RNA polymerases of archaebacteria, eukaryotes, and eubacteria. *Can J Microbiol.* 1989 Jan;35(1):73-80.
- 72: Zillig W, Palm P, Reiter WD, Gropp F, Puhler G, Klenk HP. Comparative evaluation of gene expression in archaebacteria. *Eur J Biochem.* 1988 May 2;173(3):473-82.
- 73: Reiter WD, Palm P, Zillig W. Transcription termination in the archaebacterium *Sulfolobus*: signal structures and linkage to transcription initiation. *Nucleic Acids Res.* 1988 Mar 25;16(6):2445-59.
- 74: Reiter WD, Palm P, Zillig W. Analysis of transcription in the archaebacterium *Sulfolobus* indicates that archaebacterial promoters are homologous to eukaryotic pol II promoters. *Nucleic Acids Res.* 1988 Jan 11;16(1):1-19.
- 75: Reiter WD, Zillig W, Palm P. Archaebacterial viruses. *Adv Virus Res.* 1988;34:143-88.
- 76: Achenbach-Richter L, Gupta R, Zillig W, Woese CR. Rooting the archaebacterial tree: the pivotal role of *Thermococcus celer* in archaebacterial evolution. *Syst Appl Microbiol.* 1988;10:231-40.

- 77: Reiter WD, Palm P, Voos W, Kaniecki J, Grampp B, Schulz W, Zillig W. Putative promoter elements for the ribosomal RNA genes of the thermoacidophilic archaebacterium *Sulfolobus* sp. strain B12. *Nucleic Acids Res.* 1987 Jul 24;15(14):5581-95.
- 78: Zillig W. Eukaryotic traits in Archaeabacteria. Could the eukaryotic cytoplasm have arisen from archaeabacterial origin? *Ann N Y Acad Sci.* 1987;503:78-82.
- 79: Zillig W, Yeats S, Holz I, Bock A, Gropp F, Rettenberger M, Lutz S. Plasmid-related anaerobic autotrophy of the novel archaeabacterium *Sulfolobus ambivalens*. *Nature.* 1985 Feb 28-Mar 6;313(6005):789-91.
- 80: Zillig W, Schnabel R, Stetter KO. Archaeabacteria and the origin of the eukaryotic cytoplasm. *Curr Top Microbiol Immunol.* 1985;114:1-18.
- 81: Henderson E, Oakes M, Clark MW, Lake JA, Matheson AT, Zillig W. A new ribosome structure. *Science.* 1984 Aug 3;225(4661):510-2.
- 82: Schnabel H, Schnabel R, Yeats S, Tu J, Gierl A, Neumann H, Zillig W. Genome organization and transcription in archaeabacteria. *Folia Biol (Praha).* 1984;30 Spec No:2-6.
- 83: Woese CR, Gupta R, Hahn CM, Zillig W, Tu J. The phylogenetic relationships of three sulfur dependent archaeabacteria. *Syst Appl Microbiol.* 1984;5:97-105.
- 84: Madon J, Leser U, Zillig W. DNA-dependent RNA polymerase from the extremely halophilic archaeabacterium *Halococcus morrhuae*. *Eur J Biochem.* 1983 Sep 15;135(2):279-83.
- 85: Madon J, Zillig W. A form of the DNA-dependent RNA polymerase of *Halobacterium halobium*, containing an additional component, is able to transcribe native DNA. *Eur J Biochem.* 1983 Jun 15;133(2):471-4.
- 86: Fischer F, Zillig W, Stetter KO, Schreiber G. Chemolithoautotrophic metabolism of anaerobic extremely thermophilic archaeabacteria. *Nature.* 1983 Feb 10;301(5900):511-3.
- 87: Huet J, Schnabel R, Sentenac A, Zillig W. Archaeabacteria and eukaryotes possess DNA-dependent RNA polymerases of a common type. *EMBO J.* 1983;2(8):1291-4.
- 88: Schnabel R, Zillig W, Schnabel H. Component E of the DNA-dependent RNA polymerase of the archaeabacterium *Thermoplasma acidophilum* is required for the transcription of native DNA. *Eur J Biochem.* 1982 Dec 15;129(2):473-7.

- 89: Tu J, Zillig W. Organization of rRNA structural genes in the archaebacterium *Thermoplasma acidophilum*. *Nucleic Acids Res.* 1982 Nov 25;10(22):7231-45.
- 90: Gierl A, Zillig W, Stetter KO. The role of the components sigma and γ of the DNA-dependent RNA polymerase of *Lactobacillus curvatus* in promotor selection. *Eur J Biochem.* 1982 Jun 15;125(1):41-7.
- 91: Prangishvilli D, Zillig W, Gierl A, Biesert L, Holz I. DNA-dependent RNA polymerase of thermoacidophilic archaebacteria. *Eur J Biochem.* 1982 Mar 1;122(3):471-7.
- 92: Tu JK, Prangishvilli D, Huber H, Wildgruber G, Zillig W, Stetter KO. Taxonomic relations between archaebacteria including 6 novel genera examined by cross hybridization of DNAs and 16S rRNAs. *J Mol Evol.* 1982;18(2):109-14.
- 93: Schulz W, Zillig W. Rifampicin inhibition of RNA synthesis by destabilisation of DNA-RNA polymerase-oligonucleotide-complexes. *Nucleic Acids Res.* 1981 Dec 21;9(24):6889-906.
- 94: Zillig W, Tu J, Holz I. Thermoproteales--a third order of thermoacidophilic archaebacteria. *Nature.* 1981 Sep 3;293(5827):85-6.
- 95: Stockel P, May R, Strell I, Cejka Z, Hoppe W, Heumann H, Zillig W, Crespi H. The core subunit structure in RNA polymerase holoenzyme determined by neutron small-angle scattering. *Eur J Biochem.* 1980 Nov;112(2):411-7.
- 96: Stockel P, May R, Strell I, Cejka Z, Hoppe W, Heumann H, Zillig W, Crespi HL. The subunit positions within RNA polymerase holoenzyme determined by triangulation of centre-to-centre distances. *Eur J Biochem.* 1980 Nov;112(2):419-23.
- 97: Zillig W, Stetter KO, Janekovic D. DNA-dependent RNA polymerase from the archaebacterium *Sulfolobus acidocaldarius*. *Eur J Biochem.* 1979 Jun 1;96(3):597-604.
- 98: Zillig W, Stetter KO, Tobien M. DNA-dependent RNA polymerase from *Halobacterium halobium*. *Eur J Biochem.* 1978 Nov 2;91(1):193-9.
- 99: Heumann H, Zillig W. Continuous monitoring of transcription by light scattering. *FEBS Lett.* 1978 Jul 15;91(2):351-4.
- 100: Rohrer H, Zillig W. Studies on the transcription complex of *Escherichia coli* RNA polymerase. *Eur J Biochem.* 1977 Oct 3;79(2):401-9.

- 101: Skorko R, Zillig W, Rohrer H, Fujiki H, Mailhammer R. Purification and properties of the NAD⁺: protein ADP-ribosyltransferase responsible for the T4-phage-induced modification of the alpha subunit of DNA-dependent RNA polymerase of *Escherichia coli*. *Eur J Biochem.* 1977 Sep 15;79(1):55-66.
- 102: Zillig W, Mailhammer R, Skorko R, Rohrer H. Covalent structural modification of DNA-dependent RNA polymerase as a means for transcriptional control. *Curr Top Cell Regul.* 1977;12:263-71.
- 103: Fujiki H, Palm P, Zillig W, Calendar R, Sunshine M. Identification of a mutation within the structural gene for the a subunit of DNA-dependent RNA polymerase of *E. coli*. *Mol Gen Genet.* 1976 Apr 23;145(1):19-22.
- 104: Rohrer H, Zillig W, Mailhammer R. ADP-ribosylation of DNA-dependent RNA polymerase of *Escherichia coli* by an NAD⁺: protein ADP-ribosyltransferase from bacteriophage T4. *Eur J Biochem.* 1975 Dec 1;60(1):227-38.
- 105: Zillig W, Fujiki H, Blum W, Janekovic D, Schweiger M, Rahmsdorf H, Ponta H, Hirsch-Kauffmann M. In vivo and in vitro phosphorylation of DNA-dependent RNA polymerase of *Escherichia coli* by bacteriophage-T7-induced protein kinase. *Proc Natl Acad Sci U S A.* 1975 Jul;72(7):2506-10.
- 106: Zillig W, Fujiki H, Mailhammer R. Proceedings: Modification of DNA-dependent RNA polymerase. *J Biochem (Tokyo).* 1975 Jan 1;77(1?):7p-8p.
- 107: Panny SR, Heil A, Mazus B, Palm P, Zillig W, Mindlin SZ, Ilyina TS, Khesin RB. A temperature sensitive mutation of the beta'-subunit of DNA-dependent RNA polymerase from *E. coli* T 16. *FEBS Lett.* 1974 Nov 15;48(2):241-5.
- 108: Stetter KO, Zillig W. Transcription in lactobacillaceae. DNA-dependent RNA polymerase from *Lactobacillus curvatus*. *Eur J Biochem.* 1974 Oct 2;48(2):527-40.
- 109: Portmann R, Sogo JM, Koller T, Zillig W. Binding sites of *E. coli* RNA polymerase on T7 DNA as determined by electron microscopy. *FEBS Lett.* 1974 Sep 1;45(1):64-7.
- 110: Boyd DH, Zillig W. Reference mutations for the beta subunit of RNA polymerase. *Mol Gen Genet.* 1974 Jun 27;130(4):315-20.
- 111: Schafer R, Kramer R, Zillig W, Cudny H. On the initiation of transcription by DNA-dependent RNA polymerase from *Escherichia coli*. *Eur J Biochem.* 1973 Dec 17;40(2):367-73.

- 112: Schafer R, Zillig W. The effects of ionic strength on termination of transcription of DNAs from bacteriophages T4, T5 and T7 by DNA-dependent RNA polymerase from Escherichia coli and the nature of termination by factor rho. *Eur J Biochem.* 1973 Mar 1;33(2):215-26.
- 113: Schafer R, Zillig W, Zechel K. A model for the initiation of transcription by DNA-dependent RNA polymerase from Escherichia coli. *Eur J Biochem.* 1973 Mar 1;33(2):207-14.
- 114: Schafer R, Zillig W. Kappa, a novel factor for the arrest of transcription in vitro by DNA-dependent RNA polymerase from Escherichia coli at specific sites of natural templates. *Eur J Biochem.* 1973 Mar 1;33(2):201-6.
- 115: Zechel K, Schafer R, Zillig W. Differentiation of transition conditions in the initiation of transcription due to DNA dependent RNA polymerase from E. coli *Hoppe Seylers Z Physiol Chem.* 1972 Oct;353(10):1577-8.
- 116: Schafer R, Zillig W, Priess H. A novel RNA-primed polynucleotidelyrophosphorylase from E. Coli. *FEBS Lett.* 1972 Sep 1;25(1):87-90.
- 117: Schafer R, Zillig W, Zechel K. On the function of DNA-dependent RNA polymerase. *Ciba Found Symp.* 1972;7:41-68.
- 118: Herzfeld F, Zillig W. Subunit composition of DNA-dependent RNA polymerase of Anacystis nidulans. *Eur J Biochem.* 1971 Dec;24(2):242-8.
- 119: Schachner M, Seifert W, Zillig W. A correlation of changes in host and T 4 bacteriophage specific RNA synthesis with changes of DNA-dependent RNA polymerase in Escherichia coli infected with bacteriophage T 4 . *Eur J Biochem.* 1971 Oct 26;22(4):520-8.
- 120: Schachner M, Zillig W. Fingerprint maps of tryptic peptides from subunits of Escherichia coli and T 4 -modified DNA-dependent RNA polymerases. *Eur J Biochem.* 1971 Oct 26;22(4):513-9.
- 121: Schafer R, Mailhammer R, Rabussay D, Seifert W, Sethi VS, Zillig W. A micro-procedure for the preparation of highly purified ¹⁴C-, ³⁵S-, and ³²P-labeled transcriptases from E. coli. *Hoppe Seylers Z Physiol Chem.* 1971 Oct;352(10):1398-400.
- 122: Seifert W, Rabussay D, Zillig W. On the chemical nature of alteration and modification of DNA dependent RNA polymerase of E. coli after T4 infection. *FEBS Lett.* 1971 Aug 15;16(3):175-179.

- 123: Heil A, Zillig W. Reconstitution of bacterial DNA-dependent RNA-polymerase from isolated subunits as a tool for the elucidation of the role of the subunits in transcription. FEBS Lett. 1970 Dec;11(3):165-168.
- 124: Sethi VS, Zillig W, Bauer H. Dissociation and reconstitution of active DNA-dependent RNA-polymerase from *E. coli*. FEBS Lett. 1970 Jun 27;8(5):236-239.
- 125: Rabussay D, Zillig W, Herrlich P. Characterization of the *Bacillus stearothermophilus* phage phimu-4 and its DNA. Virology. 1970 May;41(1):91-100.
- 126: Sethi VS, Zillig W, Bauer H. Dissociation of DNA-dependent RNA-polymerase from *E. coli* in lithium chloride. FEBS Lett. 1970 Feb 25;6(4):339-342.
- 127: Zillig W, Zechel K, Halbwachs HJ. A new method of large scale preparation of highly purified DNA-dependent RNA-polymerase from *E. coli*. Hoppe Seylers Z Physiol Chem. 1970 Feb;351(2):221-4.
- 128: Rabussay D, Zillig W. A rifampicin resistant rna-polymerase from *E. coli* altered in the beta-subunit. FEBS Lett. 1969 Oct 21;5(2):104-106.
- 129: Rabussay D, Herrlich P, Schweiger M, Zillig W. More evidence for bacteria-like protein synthesizing apparatus in chloroplasts and mitochondria. FEBS Lett. 1969 Jul;4(1):55-56.
- 130: Seifert W, Qasba P, Walter G, Palm P, Schachner M, Zillig W. Kinetics of the alteration and modification of DNA-dependent RNA-polymerase in T4-infected *E. coli* cells. Eur J Biochem. 1969 Jun;9(3):319-24.
- 131: Schweiger M, Herrlich P, Zillig W. Group specificity in protein synthesis, 3. Hoppe Seylers Z Physiol Chem. 1969 Jun;350(6):775-83.
- 132: Helm K, Zillig W. Differential transcription of T(4)-DNA by DNA-dependent RNA-polymerase of *E. coli* and *A. nidulans*. FEBS Lett. 1969 Apr;3(1):76-79.
- 133: Qasba PK, Zillig W. Nature of RNA synthesized at low and high ionic strength by DNA-dependent RNA-polymerase from *Escherichia coli*. Eur J Biochem. 1969 Jan;7(3):315-7.
- 134: Remold-O'Donnell E, Zillig W. Purification and properties of DNA-dependent RNA-polymerase from *Bacillus stearothermophilus*. Eur J Biochem. 1969 Jan;7(3):318-23.

- 135: Seifert W, Nass G, Zillig W. Electrophoretic separation of tRNA-bound leucyl-tRNA synthetase from Escherichia coli extracts. *J Mol Biol.* 1968 Apr 28;33(2):507-11.
- 136: Walter G, Seifert W, Zillig W. Modified DNA-dependent RNA polymerase from *E. coli* infected with bacteriophage T4. *Biochem Biophys Res Commun.* 1968 Feb 15;30(3):240-7.
- 137: Fuchse, Millette RL, Zillig W, Walter G. Influence of salts on RNA synthesis by DNA-dependent RNA-polymerase from *Escherichia coli*. *Eur J Biochem.* 1967 Dec;3(2):183-93.
- 138: Walter G, Zillig W, Palm P, Fuchs E. Initiation of DNA-dependent RNA synthesis and the effect of heparin on RNA polymerase. *Eur J Biochem.* 1967 Dec;3(2):194-201.
- 139: Zillig W. Process of protein biosynthesis as an attack point for regulation mechanisms *Arzneimittelforschung.* 1967 Nov;17(11):1421-4.
- 140: Herrlich P, Schweiger M, Zillig W, Lang N. Class specificity with respect to the formation of active polysomes from ribosomes and matrix ribonucleic acids *Hoppe Seylers Z Physiol Chem.* 1967 Sep;348(9):1207-10.
- 141: Priess H, Zillig W. Molecular weight of the 13-S subunit of DNA-dependent RNA polymerase from *Escherichia coli*. *Biochim Biophys Acta.* 1967 Aug 15;140(3):540-2.
- 142: Seifert W, Zillig W. Studies on specific partial hydrolysis of sRNA *Hoppe Seylers Z Physiol Chem.* 1967 Aug;348(8):1017-26.
- 143: von der Helm K, Zillig W. Purification and properties of DNA-dependent RNA polymerase from *Anacystis nidulans* *Hoppe Seylers Z Physiol Chem.* 1967 Jul;348(7):902-12.
- 144: Priess H, Zillig W. An inhibitor of pancreatic ribonuclease from red blood cells *Hoppe Seylers Z Physiol Chem.* 1967 Jul;348(7):817-22.
- 145: Millette RL, Fuchs E, Zillig W. Molecular properties and mode of action RNA polymerase. *Angew Chem Int Ed Engl.* 1966 Jun;5(6):610-1.
- 146: Dann-Markert A, Deutsch HF, Zillig W. Studies on the coat protein of bacteriophage phi-X174. *Virology.* 1966 May;29(1):126-32.
- 147: Zillig W. The effect of antibiotics on components and partial reactions of the protein biosynthesis apparatus *Naunyn Schmiedebergs Arch Exp Pathol Pharmakol.* 1966;253(1):131-41.

- 148: Priess H, Zillig W. Reaction of hydrogen peroxide with nucleic acid constituents and s-RNA Hoppe Seylers Z Physiol Chem. 1965;342(1):73-80.
- 149: Traub P, Zillig W, Millette RL, Schweiger M. Studies on the biosynthesis of proteins. VII. Activity of various desoxyribonucleic acids and ribonuclease inhibitors from rabbit reticulocytes in a cell-free protein synthesis system in Escherichia coli. DNA-dependent in vitro synthesis of "early proteins" of E. coliphages T4 Hoppe Seylers Z Physiol Chem. 1965;343(4):261-75.
- 150: Traub P, Zillig W. Studies on the biosynthesis of proteins. VI. A new method in the preparation of a cellfree system from Escherichia coli and its properties in nucleic acid dependent protein synthesis Hoppe Seylers Z Physiol Chem. 1965;343(4):246-60.
- 151: MARKERT A, ZILLIG W. STUDIES ON THE LYSIS OF ESCHERICHIA COLI C BY BACTERIOPHAGE PHI-X174. Virology. 1965 Jan;25:88-97.
- 152: FUCHS E, ZILLIG W, HOF SCHNEIDER PH, PREUSS A. PREPARATION AND PROPERTIES OF RNA-POLYMERASE PARTICLES. J Mol Biol. 1964 Dec;10:546-50.
- 153: PALM P, DOERFLER W, TRAUB P, ZILLIG W. INHIBITION OF THE FORMATION IN VITRO OF POLYSOMES BY SUPERNATANT FACTORS FROM ESCHERICHIA COLI. Biochim Biophys Acta. 1964 Nov 15;91:522-4.
- 154: DOERFLER W, PALM P, FUCHS E, ZILLIG W. NUCLEIC ACID-DEPENDENT INCORPORATION OF LEUCINE IN CHROMATOGRAPHICALLY FRACTIONATED EXTRACTS OF ESCHERICHIA COLI. Biochim Biophys Acta. 1963 Dec 20;76:633-5.
- 155: DOERFLER W, PALM P, ZILLIG W, ALBERS M. THE INCORPORATION OF AMINO ACIDS INTO BACTERIOPHAGE-COAT PROTEINS IN VITRO. Biochim Biophys Acta. 1963 Nov 22;76:485-7.
- 156: VERWOERD DW, ZILLIG W. A specific partial hydrolysis procedure for soluble RNA. Biochim Biophys Acta. 1963 Mar 26;68:484-6.
- 157: VERWOERD DW, ZILLIG W, KOHLHAGE H. THE REACTION OF NUCLEIC ACIDS WITH HYDROXYLAMINE AS AN AID FOR SPECIFIC PARTIAL HYDROLYSIS Hoppe Seylers Z Physiol Chem. 1963;332:184-203.
- 158: DOERFLER W, ZILLIG W, FUCHS E, ALBERS M. Studies on the biosyhtesis of proteins. V. The function of nucleic acids in the incorporation of amino acids into proteins in a cell free system in Esherichia coli Hoppe Seylers Z Physiol Chem. 1962 Dec 15;330:96-123.

- 159: RUECKERT RR, ZILLIG W, DOERFLER W. Incorporation of [¹⁴C] leucine into bacteriophage proteins in cell-free extracts of *Escherichia coli*. *J Mol Biol.* 1962 Jul;5:10-7.
- 160: RUECKERT RR, ZILLIG W. Biosynthesis of virus protein in *Escherichia coli* C in vivo following infection with bacteriophage phi-X-174. *J Mol Biol.* 1962 Jul;5:1-9.
- 161: RUECKERT RR, ZILLIG W, HUBER K. An improved procedure for the purification of bacteriophage phi-X174. *Virology.* 1962 May;17:204-7.
- 162: VERWOERD DW, KOHLHAGE H, ZILLIG W. Specific partial hydrolysis of nucleic acids in nucleotide sequence studies. *Nature.* 1961 Dec 16;192:1038-40.
- 163: ZILLIG W, SCHACHTSCHABEL D, KRONE W. Investigations on the biosynthesis of proteins. IV. Composition, function and specificity of soluble ribonucleic acid from *Escherichia coli* Hoppe Seylers Z Physiol Chem. 1960 Feb 22;318:100-14.
- 164: BUTENANDT A, GROSCHEL U, KARLSON P, ZILLIG W. N-acetyl tyramine, its isolation from *Bombyx* cocoons - its chemical - biological properties. *Arch Biochem Biophys.* 1959 Jul;83(1):76-83.
- 165: ZILLIG W, KRONE W, ALBERS M. Investigations on the biosynthesis of proteins. III. Contribution to the knowledge of the composition and structure of ribonucleoprotein particles Hoppe Seylers Z Physiol Chem. 1959;317:131-43.
- 166: SCHACHTSCHABEL D, ZILLIG W. Investigations on the biosynthesis of proteins. I. Synthesis of radiocarbon labeled amino acids in proteins of cell free nucleoprotein-enzyme-system of *Escherichia coli*. Hoppe Seylers Z Physiol Chem. 1959;314(4-6):262-75.
- 167: ZILLIG W. Intracellular protein synthesis. *Dtsch Med Wochenschr.* 1958 May 30;83(22):980-2.
- 168: ZILLIG W, HOLZEL H. A simple vibration-homogenizer for the disintegration of microorganisms and comminution of single particles in suspensions or in the dry state. *Hoppe Seylers Z Physiol Chem.* 1958;312(1-3):140-3.
- 169: ZILLIG W. Biological function of ribonucleic acid: recent results of virus research. *Dtsch Med Wochenschr.* 1957 Nov 8;82(45):1925-6.
- 170: SCHRAMM G, SCHUMACHER G, ZILLIG W. An infectious nucleoprotein from tobacco mosaic virus. *Nature.* 1955 Mar 26;175(4456):549-50.

171: BUTENANDT A, KARLSON P, ZILLIG W. Dioxo-piperazines from pupae of silkworm. Hoppe Seylers Z Physiol Chem. 1951 Nov;288(4-6):279-83.

172: BUTENANDT A, KARLSON P, ZILLIG W. Occurrence of kynurenine in silkworm pupae. Hoppe Seylers Z Physiol Chem. 1951 Sep;288(2-3):125-9.