## HW 4

As always, your answer will be graded on the quality of presentation as well as the correct answer. To get a good score: write your answer neatly, use complete sentences, and *justify your work*.

## 1 Computations

1. Consider the function  $g \in S_4$  given by

 $1 \mapsto 2$  $2 \mapsto 1$  $3 \mapsto 3$  $4 \mapsto 4.$ 

Write down all functions  $f \in S_4$  with the property that

- (a)  $f \circ f \circ f = \mathrm{id}_A$ ,
- (b)  $f \circ g = g \circ f$ ,
- (c)  $f \circ g = id_{\{1,2,3,4\}}$ .
- (d)  $f(1) \in \{1, 2\}$  and  $f(2) \in \{1, 2\}$ .
- 2. How many elements (f,g) in  $S_3 \times S_3$  are there that satisfy  $(f,g)(f,g)(f,g) = (\mathrm{id}_{\{1,2,3\}}, \mathrm{id}_{\{1,2,3\}})?$

## 2 Proofs

(I) Let A be a set and B any finite subset of A. Define

$$G = \{ f \in S_A \mid \text{for all } b \in B, f(b) \in B \}.$$

Prove that G is a subgroup of  $S_A$ .

(II) Define the set

 $G = \{ f \in S_5 \mid f(2) = 3 \}.$ 

Is G a subgroup of  $S_5$ ? Prove your answer is correct.